

ANIMAL FEED SCIENCE AND TECHNOLOGY

VOL. 66 NOS. 1-4

CONTENTS

MAY 1997

(Abstracted/Indexed in: *Biol. Abstr.*, *Curr. Contents A, B & ES*, *Herb. Abstr.*, *Index Vet.*,
Nutr. Abstr. Rev., *Vet. Bull.*)

Inclusion of sugar-beet pulp and change of protein source in the diet of the weaned piglet and their effects on digestive performance and enzymatic activities R. Lizardo, J. Peiniau and A. Aumaitre (L'Hermitage, France)	1
The effect of infusion of putrescine and gamma amino butyric acid on the intake of steers offered grass silage containing three levels of lactic acid L.E.R. Dawson (Hillsborough, UK) and C.S. Mayne (Hillsborough, Belfast, UK)	15
Description of gas production profiles with a three-phasic model J.W. Cone, A.H. Van Gelder and F. Driehuis (Lelystad, Netherlands)	31
Effects of enzyme supplementation and irradiation of rice bran on the performance of growing Leghorn and broiler chickens G.J. Wang, R.R. Marquardt, W. Guenter, Z. Zhang (Winnipeg, Man., Canada) and Z. Han (Nanjing, China)	47
Effects of different dietary fat sources on performance and carcass characteristics of broilers W. Zollitsch, W. Knaus, F. Aichinger and F. Lettner (Vienna, Austria)	63
Influence of duodenal infusion of L-methionine and L-methionine-di-sulfoxide on amino acid concentration and duodenal electrical activity in Friesian calves R. Puchala, R. Zabielski, V. Leśniewska, P. Kiela and W. Barej (Warsaw, Poland)	75
Browse foliage and annual legume pods as supplements to wheat straw for sheep A. Chriyaa (Settat, Morocco), K.J. Moore (Ames, IA, USA) and S.S. Waller (Lincoln, NE, USA)	85
Ileal and total tract digestibility in pigs of naked and hulled barley with different starch composition Å. Pettersson and J.E. Lindberg (Uppsala, Sweden)	97
Use of a multi-exponential model to assess the effect of fermentation in the reticulorumen on particle fragmentability as simulated from artificially macerating leaf and stem fractions of two tropical grasses P.M. Kennedy (Indooroopilly, Qld., Australia), P.J. Toscas, M.J. Faddy (St. Lucia, Qld., Australia) and D.J. Minson (Oxford, UK)	111
A method of making good quality silage from direct cut alfalfa by spraying previously fermented juice M. Ohshima, E. Kimura and H.-o. Yokota (Aichi, Japan)	129

(Contents continued on page 307)

The table of contents of *Animal Feed Science and Technology* is included in ESTOC — Elsevier Science Tables of Contents service — which can be accessed on the World Wide Web at the following URL addresses:
<http://www.elsevier.nl/locate/estoc> or <http://www.elsevier.com/locate/estoc>



0377-8401(199705)66:1-4;1-X



Contents continued

Enzymatic hydrolysis of tannery fleshings using chicken intestine proteases A.A. Raju, C. Rose and N.M. Rao (Madras, India)	139
Influence of dietary supplementation with linseed and vitamin E on fatty acids, α -tocopherol and lipid peroxidation in muscles of broiler chicks K.-T. Nam, H.-A. Lee (Seoul, South Korea), B.-S. Min (Inchon, South Korea) and C.-W. Kang (Seoul, South Korea)	149
Effect of feeding different fat supplements on the fatty acid composition of goat milk S.K. Gulati (Blacktown, NSW, Australia), E.B. Byers, Y.G. Byers (Kemps Creek, NSW, Australia), J.R. Ashes (Blacktown, NSW, Australia) and T.W. Scott (Sydney, NSW, Australia)	159
The effect of nitrogen fertilization level and protein supplementation on herbage intake, feeding behaviour and digestion in grazing dairy cows R. Delagarde, J.L. Peyraud and L. Delaby (Saint-Gilles, France)	165
The effect of feeding level on intake and digestibility of Rhodes grass (<i>Chloris gayana</i> , cv Kunth) by dairy cows R.P. Mbwire (Mbeya, Tanzania) and P. Udén (Uppsala, Sweden)	181
Application of non-linear models in the description of in situ degradation profiles of the elephant grass (<i>Pennisetum purpureum</i> Schum., Mineiro variety) R.A.M. Vieira, J.C. Pereira (Viçosa, Brazil), P.A.M. Malafaia (Seropédica, Brazil) and A.C. De Queiroz (Viçosa, Brazil)	197
Prediction of the feeding value of maize silages by chemical parameters, in vitro digestibility and NIRS J.L. De Boever, B.G. Cottyn, D.L. De Brabander, J.M. Vanacker and Ch.V. Boucqué (Melle-Gontrode, Belgium)	211
Estimation of the relative bioavailability of zinc from inorganic zinc sources for sheep M. Sandoval, P.R. Henry, R.C. Littell, R.J. Cousins and C.B. Ammerman (Gainesville, FL, USA)	223
Effect of high dietary zinc concentration and length of zinc feeding on feed intake and tissue zinc concentration in sheep P.R. Henry, R.C. Littell and C.B. Ammerman (Gainesville, FL, USA)	237
The effect of fertiliser nitrogen on the solubility and rumen degradability of dry matter and nitrogen in wheat grain D.I. Givens, E.R. Deaville and A.R. Moss (Stratford upon Avon, UK)	247
Interannual variations of nutrient concentrations in botanical fractions from extensively managed grasslands A. García-Ciudad, A. Ruano-Ramos, B.R. Vázquez de Aldana and B. García-Criado (Salamanca, Spain)	257
Net flux of nutrients across splanchnic tissues in wethers consuming grass hay with or without corn and alfalfa A.L. Goetsch (Booneville, AR, USA), A.R. Patil, Z.S. Wang, K.K. Park, D.L. Galloway, Sr., J.E. Rossi and B. Kouakou (Fayetteville, AR, USA)	271
Short Communications	
Effects of replacement of maize with dried leaves of sweet potato (<i>Hypomoea batatas</i>) and perennial peanuts (<i>Arachis glabrata</i> Benth) on the growth performance of finishing broilers A. Teguia, R.M. Njwe (Dschang, Cameroon) and C. Nguekouo Foyette (Yaounde, Cameroon)	283
Effect of expander conditioning and/or pelleting of a diet containing tapioca, pea and soybean meal on the total tract digestibility in growing pigs A.F.B. Van der Poel, H.M.P. Fransen and M.W. Bosch (Wageningen, Netherlands)	289
Mung beans (<i>Phaseolus aureus</i>) for finishing pigs K.G. Wiryawan, H.M. Miller and J.H.G. Holmes (Victoria, Australia)	297
Corrigendum	305



